



















- Food Engineering, 2020(4): 30–32.
- [33] 彭鑫. 不同光照条件对草莓光合性能与果实品质的影响 [D]. 杭州: 浙江农林大学, 2019.
- [34] 费学谦, 方学智, 丁明, 姚小华, 谢义福. 不同浓度 CPPU 处理对中华猕猴桃生长与营养品质的影响 [J]. 农业环境科学报, 2005(S1): 30–33.
- Fei XQ, Fang XZ, Ding M, Yao XH, Xie YF. Effect of different concentrations of CPPU on growth and nutritional quality of *Actinidia chinensis* Planch. [J]. *Journal of Agro-Environment Science*, 2005(S1): 30–33.
- [35] 张慧, 刘世彪, 唐元桂, 刘万云. 不同植物生长调节剂对猕猴桃单果重及营养成分的影响 [J]. 湖南农业大学学报(自然科学版), 2015, 41(4): 385–390.
- Zhang H, Liu SB, Tang YG, Liu WY. Effects of different plant growth regulators on fruit weights and nutritional components of kiwifruit [J]. *Journal of Hunan Agricultural University(Natural Science)*, 2015, 41(4): 385–390.
- [36] Jeong SW, Das PK, Jeoung SC, Song JY, Lee HK, et al. Ethylene suppression of sugar-induced anthocyanin pigmentation in *Arabidopsis* [J]. *Plant Physiol*, 2010, 154(3): 1514–1531.
- [37] Koyama K, Sadamatsu K, Goto-yamamoto N. Abscisic acid stimulated ripening and gene expression in berry skins of the Cabernet Sauvignon grape [J]. *Funct Integr Genomic*, 2010, 10(3): 367–381.
- [38] Shen XJ, Zhao K, Liu LL, Zhang KC, Yuan HZ, et al. A role for *PacMYBA* in ABA-regulated anthocyanin biosynthesis in red-colored sweet cherry cv. Hong Deng (*Prunus avium* L.) [J]. *Plant Cell Physiol*, 2014, 55(5): 862–880.
- [39] Sun JJ, Wang YC, Chen XS, Gong XJ, Wang N, et al. Effects of methyl jasmonate and abscisic acid on anthocyanin biosynthesis in callus cultures of red-fleshed apple (*Malus sieversii* f. *niedzwetzkyana*) [J]. *Plant Cell Tiss Org*, 2017, 130(2): 227–237.
- [40] Das PK, Shin DH, Choi SB, Yoo SD, Choi G, Park YI. Cytokinins enhance sugar-induced anthocyanin biosynthesis in *Arabidopsis* [J]. *Mol Cells*, 2012, 34(1): 93–101.

(责任编辑: 周媛)