

- tics of ‘Lümi No.1’ *Actinidia arguta* fruit [J]. *Acta Agriculturae Boreali-Occidentalis Sinica*, 2020, 29(12): 1848–1858.
- [12] Fisk CL, McDaniel MR, Strik BC, Zhao Y. Physicochemical, sensory, and nutritive qualities of hardy kiwifruit (*Actinidia arguta* ‘Ananasnaya’) as affected by harvest maturity and storage [J]. *J Food Sci*, 2006, 71(3): S204–S10.
- [13] Oh SB, Muneer S, Kwack YB, Shin MH, Kim JG. Characteristic of fruit development for optimal harvest date and postharvest storability in ‘Skinny Green’ baby kiwifruit [J]. *Sci Hortic-Amsterdam*, 2017, 222: 57–61.
- [14] Szpadzik E, Zaraś-Januszkiewicz E, Krupa T. Storage quality characteristic of two mini-kiwi fruit (*Actinidia arguta* (Siebold & Zucc.) Planch. ex Miq.) cultivars: ‘Ananasnaya’ and ‘Bingo’ – a new one selected in Poland [J]. *Agronomy*, 2021, 11(1): 134.
- [15] 孙兴盛, 银徐蓉, 周福慧, 蒋海峰, 姜爱丽, 等. 气调包装对软枣猕猴桃品质的影响 [J]. 包装工程, 2019, 40(19): 73–79.
Sun XS, Yin XR, Zhou FH, Jiang HF, Jiang AL, et al. Effect of modified atmosphere packaging on quality of *Actinidia arguta* [J]. *Packaging Engineering*, 2019, 40(19): 73–79.
- [16] 曾照旭, 朴一龙, 金东淳, 冉丽萍, 李旭. 1-甲基环丙烯处理对软枣猕猴桃果实软化的影响 [J]. 北方园艺, 2014(1): 123–126.
Zeng ZX, Piao YL, Jin DC, Ran LP, Li X. Effects of 1-MCP treatment on softening of *Actinidia arguta* fruit [J]. *Northern Horticulture*, 2014(1): 123–126.
- [17] 胡文忠, 姜爱丽, 蔡慧, 马杰, 刘程惠, 田密霞. 茉莉酸甲酯处理对软枣猕猴桃生理生化变化的影响 [J]. 食品工业科技, 2013, 34(4): 331–334.
Hu WZ, Jiang AL, Cai H, Ma J, Liu CH, Tian MX. Effect of MeJA treatments on physiological and biochemical changes for *Actinidia arguta* [J]. *Science and Technology of Food Industry*, 2013, 34(4): 331–334.
- [18] Stefaniak J, Sawicka M, Krupa T, Latocha P, Łata B. Effect of kiwiberry pre-storage treatments on the fruit quality during cold storage [J]. *Zemdirbyste-Agriculture*, 2017, 104(3): 235–242.
- [19] Li H, Pidakala P, Billing D, Burdon J. Kiwifruit firmness: measurement by penetrometer and non-destructive devices [J]. *Postharvest Biol Tec*, 2016, 120: 127–137.
- [20] Manning M, Burdon J, de Silva N, Meier X, Pidakala P, et al. Maturity and postharvest temperature management affect rot expression in ‘Hort16A’ kiwifruit [J]. *Postharvest Biol Tec*, 2016, 113: 40–47.
- [21] Burdon J, Punter M, Billing D, Pidakala P, Kerr K. Shriveled development in kiwifruit [J]. *Postharvest Biol Tec*, 2014, 87: 1–5.
- [22] 孙兴盛, 顾思彤, 蒋海峰, 姜爱丽, 胡文忠, 李江阔. 软枣猕猴桃后熟过程中生理及品质变化规律 [J]. 包装工程, 2021, 42(5): 45–54.
Sun XS, Gu ST, Jiang HF, Jiang AL, Hu WZ, Li JK. Physiology and quality change laws of *Actinidia arguta* during late ripening [J]. *Packaging Engineering*, 2021, 42(5): 45–54.
- [23] Burdon J. Kiwifruit biology: the commercial implications of fruit maturation [J]. *Hortic Rev*, 2018, 46: 385–421.
- [24] 黄文俊, 刘小莉, 张琦, 陈美艳, 钟彩虹. 黄肉红心猕猴桃‘东红’果实在不同贮藏方式下的生理和品质变化研究 [J]. 植物科学学报, 2019, 37(3): 382–388.
Huang WJ, Liu XL, Zhang Q, Chen MY, Zhong CH. Research on changes in postharvest physiology and fruit quality of *Actinidia chinensis* ‘Donghong’ under different storage methods [J]. *Plant Science Journal*, 2019, 37(3): 382–388.
- [25] 张佳佳, 郑小林, 励建荣. 毛花猕猴桃“华特”果实采后生理和品质变化 [J]. 食品科学, 2011, 32(8): 309–312.
Zhang JJ, Zheng XL, Li JR. Physiological and quality changes in *Actinidia eriantha* Benth ‘Walter’ fruit during at normal temperature [J]. *Food Science*, 2011, 32(8): 309–312.
- [26] Schotmans WC, Mawson AJ. Non-destructive firmness measurement of Zespri™ Gold using the acoustic impulse response technique and compression tests [J]. *Acta Hortic*, 2005, 687: 107–112.
- [27] Gong H, Fullerton C, Billing D, Burdon J. Retardation of ‘Hayward’ kiwifruit tissue zone softening during storage by 1-methylcyclopropene [J]. *Sci Hortic-Amsterdam*, 2020, 259: 108791.
- [28] Li H, Billing D, Pidakala P, Burdon J. Textural changes in ‘Hayward’ kiwifruit during and after storage in controlled atmospheres [J]. *Sci Hortic-Amsterdam*, 2017, 222: 40–45.

(责任编辑: 周媛)